

997 Functional Acknowledgment

Functional Group=FA

This Draft Standard for Trial Use contains the format and establishes the data contents of the Functional Acknowledgment Transaction Set (997) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to define the control structures for a set of acknowledgments to indicate the results of the syntactical analysis of the electronically encoded documents. The encoded documents are the transaction sets, which are grouped in functional groups, used in defining transactions for business data interchange. This standard does not cover the semantic meaning of the information encoded in the transaction sets.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1		N1/010	Must use
020	AK1	Functional Group Response Header	M	1		N1/020	Must use
LOOP ID - AK2					999999	N1/030L	
030	AK2	Transaction Set Response Header	M	1		N1/030	Must use
060	AK5	Transaction Set Response Trailer	M	1			Must use
070	AK9	Functional Group Response Trailer	M	1			Must use
080	SE	Transaction Set Trailer	M	1			Must use

Notes:

- 1/010 These acknowledgments shall not be acknowledged, thereby preventing an endless cycle of acknowledgments of acknowledgments. Nor shall a Functional Acknowledgment be sent to report errors in a previous Functional Acknowledgment.
The Functional Group Header Segment (GS) is used to start the envelope for the Functional Acknowledgment Transaction Sets. In preparing the functional group of acknowledgments, the application sender's code and the application receiver's code, taken from the functional group being acknowledged, are exchanged; therefore, one acknowledgment functional group responds to only those functional groups from one application receiver's code to one application sender's code.
There is only one Functional Acknowledgment Transaction Set per acknowledged functional group.
- 1/020 AK1 is used to respond to the functional group header and to start the acknowledgement for a functional group. There shall be one AK1 segment for the functional group that is being acknowledged.
- 1/030L AK2 is used to start the acknowledgement of a transaction set within the received functional group. The AK2 segments shall appear in the same order as the transaction sets in the functional group that has been received and is being acknowledged.
- 1/030 AK2 is used to start the acknowledgement of a transaction set within the received functional group. The AK2 segments shall appear in the same order as the transaction sets in the functional group that has been received and is being acknowledged.

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code Description: Code uniquely identifying a Transaction Set	M	ID	3/3	Must use
		Code Name 997 Functional Acknowledgment				
ST02	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M	AN	4/9	Must use

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

AK1 Functional Group Response Header

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

To start acknowledgment of a functional group

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK101	479	Functional Identifier Code Description: Code identifying a group of application related transaction sets	M	ID	2/2	Must use
		Code Name IM Motor Carrier Freight Details and Invoice (210, 980) QM Transportation Carrier Shipment Status Message (214)				
AK102	28	Group Control Number Description: Assigned number originated and maintained by the sender	M	NO	1/9	Must use

Semantics:

1. AK101 is the functional ID found in the GS segment (GS01) in the functional group being acknowledged.
2. AK102 is the functional group control number found in the GS segment in the functional group being acknowledged.

Loop AK2

Pos: 030	Repeat: 999999
Mandatory	
Loop: AK2	Elements: N/A

To start acknowledgment of a single transaction set

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
030	AK2	Transaction Set Response Header	M	1		Must use
060	AK5	Transaction Set Response Trailer	M	1		Must use

AK2 Transaction Set Response Header

Pos: 030	Max: 1
Heading - Mandatory	
Loop: AK2	Elements: 2

User Option (Usage): Must use

To start acknowledgment of a single transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK201	143	Transaction Set Identifier Code Description: Code uniquely identifying a Transaction Set	M	ID	3/3	Must use
		Code Name 210 Motor Carrier Freight Details and Invoice 214 Transportation Carrier Shipment Status Message				
AK202	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M	AN	4/9	Must use

Semantics:

1. AK201 is the transaction set ID found in the ST segment (ST01) in the transaction set being acknowledged.
2. AK202 is the transaction set control number found in the ST segment in the transaction set being acknowledged.

AK5 Transaction Set Response Trailer

Pos: 060	Max: 1
Heading - Mandatory	
Loop: AK2	Elements: 1

User Option (Usage): Must use

To acknowledge acceptance or rejection and report errors in a transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK501	717	Transaction Set Acknowledgment Code	M	ID	1/1	Must use
		Description: Code indicating accept or reject condition based on the syntax editing of the transaction set				
		<u>Code</u> <u>Name</u>				
		A Accepted				
		R Rejected				

AK9 Functional Group Response Trailer

Pos: 070	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 4

User Option (Usage): Must use

To acknowledge acceptance or rejection of a functional group and report the number of included transaction sets from the original trailer, the accepted sets, and the received sets in this functional group

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AK901	715	Functional Group Acknowledge Code Description: Code indicating accept or reject condition based on the syntax editing of the functional group	M	ID	1/1	Must use
		Code Name A Accepted R Rejected				
AK902	97	Number of Transaction Sets Included Description: Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element	M	N0	1/6	Must use
AK903	123	Number of Received Transaction Sets Description: Number of Transaction Sets received	M	N0	1/6	Must use
AK904	2	Number of Accepted Transaction Sets Description: Number of accepted Transaction Sets in a Functional Group	M	N0	1/6	Must use

Comments:

1. If AK901 contains the value "A" or "E", then the transmitted functional group is accepted.

SE Transaction Set Trailer

Pos: 080	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments Description: Total number of segments included in a transaction set including ST and SE segments	M	NO	1/10	Must use
SE02	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M	AN	4/9	Must use

Comments:

1. SE is the last segment of each transaction set.

Table of Contents

Functional Acknowledgment	1
Transaction Set Header	2
Functional Group Response Header	3
Loop AK2	4
Transaction Set Response Header	5
Transaction Set Response Trailer	6
Functional Group Response Trailer	7
Transaction Set Trailer	8